


BETRIEBSANLEITUNG
OPERATING INSTRUCTIONS
INSTRUCTIONS DE SERVICE
ISTRUZIONI D'USO
HANDLEIDING
INSTRUCCIONES PARA EL MANEJO
MANUAL DE INSTRUÇÕES
NAUDOJIMOSI INSTRUKCIJA
KASUTUSJUHEND
LIETOŠANAS INSTRUKCIJA
DRIFTSINSTRUKS
DRIFTSINSTRUKTIONER
DRIFTSVEJLEDNING
INSTRUKCJA OBSŁUGI

KEZELÉSI ÚTMUTATÓ
NÁVOD K OBSLUZE
NAVODILO ZA UPORABO
NÁVOD NA OBSLUHU
UPUTE ZA RAD
MANUAL DE OPERATII
TREORACHA OIBRIÚCHÁIN
ΟΔΗΓΙΕΣ ΧΡΗΣΗΣ
EL KITABI
ИНСТРУКЦИИ ЗА ЕКСПЛОАТАЦИЯ
ИНСТРУКЦИЯ ПО ЭКСПЛУАТАЦИИ
取扱説明書
사용설명서
使用说明书

VX 4.16

MAKE IT BECKER.











1



MAX. VACUUM



MAX.

L_{PA})))

DIN EN ISO 11203
Accuracy Class 2
K_{PA} = 3 dB(A)
l ← 1m

BECKER		QR CODE	CE
type	AVC02008		
ref.	A2320427		
Compressor / vacuum pump			
type	xxx		
frequency	50 Hz		
speed	xxx		
power required	xxx		
max capacity	xxx		
pressure	xxx		
vacuum	xxx		

MAX. VACUUM mbar


BECKER		QR CODE	CE
type	AVC02008		
ref.	A2320427		
Compressor / vacuum pump			
type	xxx		
frequency	50 Hz		
speed	xxx		
power required	xxx		
max capacity	xxx		
pressure	xxx		
vacuum	xxx		

MAX. V m³/h

L_{PA} = 61 dB(A) - 50Hz
L_{PA} = 64 dB(A) - 60Hz

2





22.4 kg
49.1 lbs

3

A > 100mm
A > 4"




> 5°C/41°F
< 45°C/113°F




max. 90%



max. 800m



4






6 mm




5 mm




7 mm




5




6




7




8




9



10




11



12

Maintenance




n=0min⁻¹




13

14




15




16



17



18




7500 h

$A_{\text{MAX}} = 34\text{mm}$
 $A_{\text{MIN}} = 21\text{mm}$


$A_{\text{min}} < 21\text{mm}$ → 

→ No. 90141200007 (SET)

19



20



www.becker-international.com

21



WWW.BECKER-INTERNATIONAL-SHOP.COM

Gebr. Becker GmbH
 Hoelker Feld 29-31
 42279 WUPPERTAL
 GERMANY
info@becker-international.com
www.becker-international.com





MAKE IT BECKER.

28100050202 | 2021-12-20 | All rights reserved