


BETRIEBSANLEITUNG
OPERATING INSTRUCTIONS
INSTRUCTIONS DE SERVICE
ISTRUZIONI D'USO
HANDLEIDING
INSTRUCCIONES PARA EL MANEJO
MANUAL DE INSTRUÇÕES
NAUDOJIMOSI INSTRUKCIJA
KASUTUSJUHEND
LIETOŠANAS INSTRUKCIJA
DRIFTSINSTRUKS
DRIFTSINSTRUKTIONER
DRIFTSVEJLEDNING
INSTRUKCJA OBSŁUGI

KEZELÉSI ÚTMUTATÓ
NÁVOD K OBSLUZE
NAVODILO ZA UPORABO
NÁVOD NA OBSLUHU
UPUTE ZA RAD
MANUAL DE OPERATII
TREORACHA OIBRIÚCHÁIN
ΟΔΗΓΙΕΣ ΧΡΗΣΗΣ
EL KITABI
ИНСТРУКЦИИ ЗА ЕКСПЛОАТАЦИЯ
ИНСТРУКЦИЯ ПО ЭКСПЛУАТАЦИИ
取扱説明書
사용설명서
使用说明书

DT 4.40K

MAKE IT BECKER.







1



MAX. PRESSURE



max. 0.022008
R10
Compressor / vacuum pump
Type
Frequency
Speed
Power required
Inlet capacity
Pressure
Vacuum
MAX. VACUUM

CE

mbar



MAX.



max. 0.022008
R10
Compressor / vacuum pump
Type
Frequency
Speed
Power required
Inlet capacity
Pressure
Vacuum
MAX. V

CE

m³/h


L_{PA}

DIN EN ISO 11203
Accuracy Class 2
K_{PA} = 3 dB(A)
l ← 1m

L_{PA} = 67 dB(A) - 50Hz
L_{PA} = 70 dB(A) - 60Hz

2





46,0 kg
101,5 lbs

3

A > 100mm
A > 4"




> 5°C/41°F
< 45°C/113°F



max. 90%




max. 800m



4



6 mm




5 mm




T 20


5




6




7




8




9



10




11



12

Maintenance




n=0 min⁻¹


2-3 Min

13


14




15




16



17



18




3000 h

$A_{\text{MAX}} = 43\text{mm}$
 $A_{\text{MIN}} = 28\text{mm}$

$A_{\text{P}} < 28\text{mm}$ → 

→ No. 90135200007 (SET)


19



20




Regulation
EU 2019/1781



This pump falls under an exemption from EU 2019/1781 as the motor and the pump have common parts.

21



www.becker-international.com

22



WWW.BECKER-INTERNATIONAL-SHOP.COM

Gebr. Becker GmbH
 Hölker Feld 29-31
 42279 WUPPERTAL
 GERMANY
info@becker-international.com
www.becker-international.com





MAKE IT BECKER.

28100027601 | 2022-06-20 | All rights reserved